

# **SAFETY DATA SHEET**

OSHA Hazard Communication Standard 29 CFR 1910.1200 Prepared to GHSRev03

1.	CHEMICAL PRODUCT AND COMPA	NY IDENTIFICATION
Common Name:	FRICTION REDUCER	
Trade Name:	FLOWRITE AF-200	
Supplier:	SNAP ENERGY VENTURES 600 Rustic Ridge Ct Southlake, TX 76092 PHONE: +1 817-691-3671 Fax: +1 817-887-3737	In Case of Emergency: INFOTRAC United States & Canada 1-800-535-5053 International 1-352-323-3500
Chemical Family: Material Uses:	ANIONIC POLYACRYLAMIDE EMULSION FRICTION REDUCER	

### 2. HAZARDS IDENTIFICATION

### **OSHA HAZARDS**:

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

While this material is not considered hazardous by the OSHA Hazard Communication Standard, this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

### **GHS Classification:**

This chemical is not classified as hazardous substance or mixture.

### **GHS Label Elements and Hazard Statements:**

Signal word: None

### **GHS Precautionary Statements:**

Do not freeze. Product will cause slip hazard.



### 3. COMPOSITION AND INFORMATION ON INGREDIENTS

CAS#	Hazardous Components (Chemical Name)	Concentration	
Proprietary	Trade Secret Ingredient	10.0 – 20.0%	

For full text of the H-Statements and R-Phrases mentioned in this Section, see Section 16

### 4. FIRST AID MEASURES

### **General Advice:**

Consult the POISON CENTER or a physician if you feel unwell. Show this safety data sheet to the doctor in attendance.

### Eye Contact:

Rinse immediately with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. Get medical advice or attention if irritation persists.

### Skin Contact:

Take off contaminated clothing and wash before reuse. Wash skin with plenty of soap and water. If skin irritation occurs, get medical advice or assistance.

#### Inhalation:

If breathing is difficult, remove person to fresh air and keep at rest comfortable for breathing. If person is not breathing, please call 911 and then give artificial respiration.

#### Ingestion:

Never give anything by mouth to an unconscious person. Rinse mouth with water. DO NOT induce vomiting. If vomiting occurs, keep airway clear.

### 5. FIREFIGHTING MEASURES

### Suitable Extinguishing media:

In case of fire: Use foam, carbon dioxide or dry powder. Use alcohol type or universal type foams on larger fires. Do not use water jet.

### Special Protective Equipment and Advice for Fire Fighters:



## FlowRite AF-200

Use approved self-contained breathing apparatus with fighting fire in an enclosed area. Adopt standard procedure for containment of chemical fires. Keep the containers cool by using water spray.

### Special Hazards Arising From the Substance or Mixture:

Hazardous Combustion Products - Thermal decomposition may produce carbon or nitrogen oxides.

Other – Slippery when wet.

**Explosion Data:** <u>Sensitivity to Mechanical Impact</u> – None. <u>Sensitivity to Static Discharge</u> – None.

### 6. ACCIDENTAL RELEASE MEASURES

### **Personal Precautions:**

Use personal protective equipment such as gloves, chemical resistant aprons and safety glasses as necessary.

### **Environmental Precautions:**

As with all chemical products, do not release into environment.

### Methods and Materials for Containment and Clean Up:

<u>Methods for Containment</u> – Prevent further leakage or spillage if safe to do so. <u>Methods for Clean Up</u> – Do not flush with water. Soak up with inert absorbent material and place in a labelled waste container for disposal. Spills are extremely slippery. If liquid has been spilt in large quantities, clean up promptly by scoop or vacuum.

### 7. HANDLING AND STORAGE

### Handling:

Use good industrial hygiene practices while handling this product. Avoid contact with skin and eyes. Wear appropriate personnel protective equipment and use in well ventilated areas.

### Storage:

Keep container tightly closed in a dry, cool (10 – 35 C) and well ventilated place. Keep container upright and avoid leakage. Do not freeze. Do not reuse empty container.



### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control Parameters:

Exposure Guidelines -

Component	CAS#	Weight %	ACGIH TLV	OSHA PEL	NIOSH IDLH
Trade Secret	Proprietary	10 – 20%	10 – 20% 200 mg/m3		
			Non-aerosol (as total		
			hydrocarbon vapor)		

<u>Engineering Controls</u> – Local exhaust ventilation as necessary to maintain exposure to within applicable limits. Please refer to the ACGIH document: "Industrial Ventilation, A Manual of Recommended Practices", most recent edition for details. If there are no applicable or established exposure limit requirement or guidelines, general ventilation should be sufficient.

### **Personal Protection:**

<u>Respiratory Protection</u> – Wear a MISOH/OSHA approved respirator if exposure exceeds TLV or PEL limits, otherwise, general ventilation is sufficient.

Hand Protection – Appropriate chemical resistant glove must be used.

<u>Eye/Face Protection</u> – Goggles and face shield should be used. Do not wear contacts when handling this product.

<u>Skin and Body Protection</u> – Use personal protective equipment such as a chemical resistant apron or protective suit when in contact with solution likely.

<u>Hygiene Measures</u> – Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Other Personal Protection Data – Eyewash fountains and safety showers must be easily accessible.

9. PHYSICAL AND CHEMICAL PROPERTIES					
Physical State:	Liquid	<b>Evaporation Rate:</b>	No data available		
Color:	White to Off-White	Odor:	Slight hydrocarbon		
Appearance:	Milky	VOC (wt%):	No data available		
pH:	8.0 – 10.0 as is	Flammability:	Not applicable		
Relative Density:	9.02 lbs/gal	Vapor Pressure:	No data available		
Boiling Point:	No data available	Vapor Density:	No data available		
Flash Point:	> 93.3 C (> 200 F)	Specific Gravity:	No data available		
Melting Point:	No data available	Solubility (Water):	Soluble		
Freeze Point:	No data available	VOC Content (wt.%):	No data available		
Dynamic Viscosity:	300 – 1000 cps				



## FlowRite AF-200

### **10. STABILITY AND REACTIVITY DATA**

### Stability:

Stable under recommended storage, handling and transportation conditions. <u>Conditions to Avoid</u> – Avoid extreme temperatures especially freezing and frost conditions. <u>Materials to Avoid</u> – Oxidizing agents.

### **Reactivity:**

<u>Hazardous Decomposition Products</u> – Under fire conditions, oxides of carbon and nitrogen. <u>Possible Hazardous Reactions</u> – None under normal conditions.

Hazardous Polymerization – Will not occur.

### **11. TOXICOLOGICAL INFORMATION**

### Information on Likely Routes of Exposure:

<u>Eyes</u> – Mild eye irritant. Symptoms may include redness, tearing and/or blurred vision. <u>Skin</u> – May cause slight irritation on prolonged contact. <u>Ingestion</u> – May result in very slight nausea/intestinal discomfort such as diarrhea. <u>Inhalation</u> – May cause mild respiratory irritation.

### Acute Toxicity – Product:

Oral LD50:	Low oral toxicity
Dermal LD50:	No data available
Inhalation LC50:	No data available

#### Acute Toxicity – Components:

Component	CAS #	Weight %	Oral LD50	Dermal LD50	Inhalation LC50
Trade Secret	proprietary	10 – 20%	>5000 mg/kg	>2000 mg/kg	
			(Rat)	(Rabbit)	

### Information on Toxicological Effects:

<u>Symptoms</u> – No data available

### Delayed & Immediate Effects and Chronic Effects from Short & Long Term Exposure:

Skin Corrosion/Irritation – Mild skin irritation. Eye Damage/Irritation – Mild eye irritation. Sensitization – No data available.

Germ Cell Mutagenicity - No data available.



## FlowRite AF-200

<u>Carcinogenicity</u> – This product does not contain any components in concentrations greater than or equal to 0.1% that are listed as known or suspected carcinogens by NTP, IARC, ACGIH or OSHA. <u>Reproductive Toxicity</u> – No data available. <u>Specific Target Organ Toxicity (Single Exposure)</u> – No data available. <u>Specific Target Organ Toxicity (Repeated Exposure)</u> – No data available. <u>Aspiration Hazard</u> – No data available.

### Numerical Measures of Toxicity – Product:

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral):	7465 mg/kg
ATEmix (dermal):	8205 mg/kg

### **12. ECOLOGICAL INFORMATION**

### Ecotoxicity:

Harmful to aquatic life

#### Acute Aquatic Toxicity – Product:

Fish:	No data available.
Crustacea:	No data available.
Algae/Aquatic Plants:	No data available.

#### Acute Aquatic Toxicity – Components:

Component	CAS #	Weight %	Algae/Aquatic Plants	Fish	Toxicity to Daphnia & Other Aquatic Invertibrates
Trade Secret	Proprietary	10 – 20%		LC50 (96h semi-static) = 2-5 mg/L (Oncorhynchus mykiss)	

#### Persistence and Degradability:

No data available.

#### **Bioaccumulative Potential:**

No data available.

#### Mobility:

No data available.



FlowRite AF-200

### Results of PBT and vPvB Assessment:

No data available.

### **Other Effects:**

No other ecological studies have been carried out on this product.

### **13. DISPOSAL CONSIDERATIONS**

### Product:

Dispose in accordance with local, state and federal agencies. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

### Contaminated Packaging/Spills:

Dispose of as unused product. Soak up spills with absorbent material. Follow label warnings.

14. TRANSPORT INFORMATION			
DOT:	Not regulated		
IMDG:	Not regulated		
IATA/ICAO:	Not regulated		

### **15. REGULATORY INFORMATION**

### **U.S. Federal Regulations:**

<u>CERCLA</u> – This material as supplied does not contain any substance regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERLA, 40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA, 40 CFR 355). There may be specific reporting requirements at the local, regional or state level pertaining to releases of this material.

<u>CWA (Clean Water Act)</u> – This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (CWA, 40 CFR 122.21 and 40 CFR 122.42).

<u>SARA 313</u> – This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels as established by SARA Title III (40 CFR 372).



SARA 311/312 Hazard Categories	
Acute Health Hazard:	No
Chronic Health Hazard:	No
Fire Hazard:	No
Sudden Release of Pressure Hazard:	No

### **U.S State Regulations:**

**Reactive Hazard:** 

<u>California Prop.65</u> – The following statement is made in order to comply with the California Safe Drinking Water and Toxic Enforcement Act of 1986: This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

### U.S State Right-to-Know Regulations:

This product does not contain any substances regulated under applicable state right-to-know regulations.

No

### International Inventories:

<u>USA (TSCA)</u> – All components of this product are either listed on the U.S Toxic Substances Control Act (TSCA) inventory of chemicals or are otherwise compliant with TSCA regulations.

<u>Canada (DSL)</u> – All components of this product are either listed on the inventory or are exempt from listing.

European Union (EINECS) – Some ingredients are not listed on the inventory.




FlowRite AF-200

### **16. OTHER INFORMATION**

HMIS (USA):

NFPA (USA):



Text of H-code(s) and R-phrase(s) mentioned in Section 3.

1

0

HEALTH

REACTIVITY

FLAMMABILITY 1

PERSONAL PROTECTION B

#### Notice to Reader

The information contained herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of these data or the results to be obtained from the use thereof SNAP ENERGY VENTURES LLC., assumes no responsibility for personal injury or property damage to vendees, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of the material.

Revision Date: May 24, 2018.